

Sheffield Area Prescribing Group

Quick Reference Guide- Ongoing Monitoring Requirements for Drugs affecting the Immune Response In rheumatology, gastroenterology and dermatology

See individual shared care protocols for full prescribing and monitoring requirements <u>https://www.intranet.sheffieldccg.nhs.uk/medicines-prescribing/shared-care-protocols.htm</u>

Drug	FBC, extended* LFTs, U&E/creatinine/eGFR, CRP for	Other
	rheumatology patients	
Azathioprine / 6 mercaptopurine	Every 3 months	
<u>Hydroxychloroquine</u>		Baseline retinal monitoring then annual retinal monitoring after 5 yrs treatment or if high risk
Leflunomide	Every 3months	BP at each monitoring visit. Frequency of any weight monitoring will be advised by specialist
Methotrexate (oral and parenteral)	Every 3 months	
<u>Mycophenolate</u>	Every 3 months	
Sulfasalazine (Sulphasalazine)	Every 3 months until stable blood levels for a year then can stop	

Please note that for any blood test results that are out of range, please refer back to the relevant full shared care protocol

* extended = Total Protein, Albumin, Alkaline Phosphatase, ALT, AST, Total Bilirubin and GGT





Guideline developed by Sharron Kebell, Specialised Commissioning Pharmacist, NHS SheffieldPrepared February 2019Interim review March 2021 & October 2022

Review date February 2022